# **MATERIAL SAFETY DATA SHEET**

HANGZHOU COLORING CHEMICAL CO., LTD ROOM 4101 NO 2 BUIDING RADISSON FORTUNE CENTER NO 108 NORTH SHIXIN ROAD XIAOSHAN AREA HANGZHOU CITY CHINA pigments@coloringchem.com

#### 1. TRADE NAME (PRODUCT IDENTIFIER): YELLOW 1511 MANUFACTURER : HANGZHOUCOLORING CHEMICAL CO., LTD ROOM 4101 NO 2 BUIDING RADISSON FORTUNE CENTER NO 108 NORTH SHIXIN ROAD XIAOSHAN AREA HANGZHOU CITY CHINA EMERGENCY NUMBER: Tel: 0086-571-83881698 Fax : 0086-571-82890175

### 2 COMPOSITION / INFORMATION ON INGREDIENTS

CONTENT: C.I. 13980 HAZARDOUS INGREDIENTS

CAS-No.:31837-42-0 No Hazardo-us

EINECS NO.:250-830-4

### 3 POSSIBLE HAZARDS

### 4 FIRST AID MEASURES

## **GENERAL ADVICE**

IF INHALED

ON INGESTION

IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT. IF A EMPLOYEE HAS INHALED MORE THAN A TOLERABLE QUANTITY OF DUST COUNTERACT

ON SKIN CONTACT ON CONTACT WITH EYES BY REMOVAL OF PERSON TO FRESH AIR AVOID CONTACT WITH SKIN. WASH CONTAMINATED PARTS WITH PLENTY OF WATER

AVOID CONTACT WITH EYES. IF EYE CONTAMINATED, RINSE IT OUT WITH WATER, ASK FOR MEDIACAL HELP

WHEN USING DO NOT EAT OR DRINK. IF SWALLOWED, INDUCE VOMITING, SEEK MEDICAL ADVICE IMMEDIATELY

#### 5. FIRE FIGHTING MEASURES

suitable extinguishing media : water, water mist, foam, co2 unsuitable extinguishing media for safety reasons : the following can be given off in a fire : gas / vapour special protective equipment : wear suitable respiratory equipment further information : the contaminated water must be eliminated based on law

### 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS **:** DO NOT BREATHE THE DUST ENVIRONMENTAL PRECAUTIONS : AVOID CREATING DUSTY CONDITIONS METHODS FOR CLEANING UP BURNING OR DISPOSAL IN ACCORDANCE WITH LOCAL REGULATIONS FOR CHEMICAL WASTE

### HANDLING AND STORAGE 7.

HANDLING :

PROTECTION AGAINST FIRE AND EXPLOSION : KEEP AWAY FROM SOURCES OF IGNITION – NO SMOKING TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES

### STORAGE:

KEEP ONLY IN THE ORIGINAL CONTAINER AWAY FROM FOODSTUFFS IN DRY AND VENTILATED AREA

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE LIMITS: TWA (8h/ total dust) : 10 mg/m3 TWA (8h/ dust breathable) : 5 mg/m3

CONTROL PARAMETERS AND PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION HAND PROTECTION EYE PROTECTION BODY PROTECTION : FILTERS : GLOVES : SAFETY GLASSES : PROTECTIVE SUIT

GENERAL SAFETY AND HYGIENE MEASURES : WHEN USING DO NOT EAT OR DRINK

### 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: YELLOW Powder COLOUR: yellow powder ODOUR: No PH at 10 g/l H2O (20°C): 6.5-7.5 BOILING POINT / RANGE : Not available PCB: 0 **IGNITION TEMPERATURE :** Not available COMBUSTIBILITY: Not available EXPLOSION HAZARD : Not available FIRE PROMOTING PROPERTIES : Not available VAPOUR PRESSURE : Not available DENSITY : Not available SOLUBILITY IN WATER : Insolube WATER PARTITION COEFFICIENT: VISCOSITY : Not available **MELTING SOFTENING POINT: 330** MOLECULAR FORMULA: C18H15N5O5 MOLECULAR FORMULAR:381.34

## 10. STABILITY AND REACTIVITY

CONDITION TO AVOID: PROTECT FROM HUMIDITY

HAZARDOUS REACTIONS :

## 11. TOXICOLOGICAL INFORMATION

ORAL ACUTE TOXICITY (<u>RAT</u>): LD50 >2000mg/kg oral-mouse SKIN IRRITATION (RABBIT): Skin irritation studies have been reported to be negative EYES IRRITATION (RABBIT'S EYES): Eye irritation studies have been reported to be negative

## 12. ECOLOGICAL INFORMATION

**BIOLOGICAL ELIMINATION** 

FISH TOXICITY LC50

## 13. DISPOSAL CONSIDERATION

DISPOSE OF THE PRODUCT IN ACCORDANCE WITH LAW

## 14. TRANSPORT INFORMATION

GGVSee / IMDG: NO HAZARDOUS PRODUCTUN No: NO HAZARDOUS PRODUCTGGVE / GGVS: NO HAZARDOUS PRODUCTRID / ADR: NO HAZARDOUS PRODUCTICAO / IATA - DGR : NO HAZARDOUS PRODUCTADNR: NO HAZARDOUS PRODUCT

## 15. REGULATORY INFORMATION

LABELLING ACCORDING TO EEC DIRECTIVES

DESCRIPTION OF HAZARDOUS' SYMBOL

DESCRIPTION OF RISK PHRASES

IN ACCORDANCE WITH THE FOLLOWING LAW:

## 16. OTHER INFORMATION

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE AND DOES NOT THEREFORE GUARANTEE CERTAIN PROPERTIES.